

	Spannung	Spannung	Geschwin-	Zustand	Geber G78	Geber G79	Status	Steuerspg	Lampen-	Lampen-	Steuerspg.	
Zeit	Kl. 15	Kl. 56b	digkeit	des Fzg	vorn	hinten	Grundeinst.	Stellmotor	leistung	spannung	Stellmotor Slave	
0.83	13.80	13.30	0.0	0.0	2.27	2.48	ADP. i.O.	80.0	39.0	93.0	80.0	
2.13	13.90	13.40	0.0	0.0	2.27	2.48	ADP. i.O.	80.0	39.0	93.0	80.0	
3.13	13.80	13.30	0.0	85.0	2.27	2.46	ADP. i.O.	80.0	38.0	93.0	80.0	
4.18	13.90	13.40	0.0	85.0	2.38	2.62	ADP. i.O.	80.0	38.0	93.0	80.0	
5.53	13.90	13.40	13.0	255.0	2.48	2.70	ADP. i.O.	80.0	38.0	94.0	80.0	
6.86	14.00	13.50	22.0	255.0	2.46	2.54	ADP. i.O.	80.0	37.0	93.0	80.0	
8.22	13.80	13.30	30.0	255.0	2.54	2.68	ADP. i.O.	80.0	37.0	94.0	80.0	
9.33	14.00	13.50	37.0	255.0	2.54	2.58	ADP. i.O.	80.0	37.0	94.0	80.0	
10.68	13.90	13.40	37.0	255.0	2.48	2.36	ADP. i.O.	80.0	36.0	93.0	80.0	
12.00	13.90	13.40	33.0	255.0	2.34	2.32	ADP. i.O.	80.0	36.0	94.0	80.0	
13.36	13.90	13.40	25.0	255.0	2.25	2.36	ADP. i.O.	80.0	36.0	94.0	80.0	
14.59	13.80	13.30	17.0	85.0	2.23	2.48	ADP. i.O.	80.0	36.0	94.0	80.0	
15.91	13.90	13.40	12.0	85.0	2.17	2.60	ADP. i.O.	80.0	36.0	95.0	80.0	
17.21	13.90	13.40	13.0	85.0	2.07	2.73	ADP. i.O.	80.0	36.0	94.0	80.0	
18.51	14.00	13.50	14.0	255.0	2.07	2.81	ADP. i.O.	80.0	35.0	94.0	80.0	
19.86	14.00	13.50	17.0	255.0	2.36	2.97	ADP. i.O.	80.0	35.0	94.0	80.0	
20.83	14.00	13.50	23.0	255.0	2.46	2.42	ADP. i.O.	80.0	35.0	94.0	80.0	
21.93	13.80	13.30	30.0	255.0	2.46	2.48	ADP. i.O.	80.0	35.0	95.0	80.0	
23.23	13.90	13.50	36.0	255.0	2.50	2.58	ADP. i.O.	80.0	35.0	94.0	80.0	
24.60	14.00	13.50	37.0	255.0	2.46	2.44	ADP. i.O.	80.0	35.0	94.0	80.0	
25.90	14.00	13.50	44.0	255.0	2.46	2.62	ADP. i.O.	80.0	35.0	94.0	80.0	
26.88	14.00	13.50	48.0	255.0	2.46	2.60	ADP. i.O.	80.0	35.0	94.0	80.0	
28.17	13.90	13.50	52.0	255.0	2.46	2.62	ADP. i.O.	80.0	35.0	95.0	80.0	
29.50	14.00	13.50	57.0	255.0	2.46	2.58	ADP. i.O.	80.0	35.0	94.0	80.0	
30.86	13.90	13.30	60.0	255.0	2.54	2.56	ADP. i.O.	80.0	35.0	95.0	80.0	
32.11	13.80	13.30	61.0	255.0	2.46	2.54	ADP. i.O.	80.0	35.0	95.0	80.0	
33.36	14.00	13.50	64.0	255.0	2.46	2.46	ADP. i.O.	80.0	35.0	94.0	80.0	
34.66	14.00	13.50	67.0	255.0	2.46	2.48	ADP. i.O.	80.0	35.0	95.0	80.0	
36.00	14.00	13.50	68.0	255.0	2.46	2.44	ADP. i.O.	80.0	35.0	95.0	80.0	
37.34	14.00	13.50	69.0	255.0	2.46	2.44	ADP. i.O.	80.0	35.0	95.0	80.0	
38.58	14.00	13.50	71.0	255.0	2.44	2.44	ADP. i.O.	80.0	35.0	95.0	80.0	

	Spannung	Spannung	Geschwin-	Zustand	Geber G78	Geber G79	Status	Steuerspg	Lampen-	Lampen-	Steuerspg.	
Zeit	Kl. 15	Kl. 56b	digkeit	des Fzg	vorn	hinten	Grundeinst.	Stellmotor	leistung	spannung	Stellmotor Slave	
39.88	14.00	13.50	72.0	255.0	2.46	2.36	ADP. i.O.	80.0	35.0	95.0	80.0	
41.22	14.00	13.50	73.0	85.0	2.40	2.50	ADP. i.O.	80.0	35.0	95.0	80.0	
42.58	14.00	13.50	74.0	85.0	2.46	2.48	ADP. i.O.	80.0	35.0	95.0	80.0	
43.78	14.00	13.50	75.0	85.0	2.46	2.40	ADP. i.O.	80.0	35.0	95.0	80.0	
44.85	14.00	13.50	75.0	85.0	2.40	2.42	ADP. i.O.	80.0	35.0	95.0	80.0	
46.19	14.00	13.50	74.0	85.0	2.40	2.42	ADP. i.O.	80.0	35.0	95.0	80.0	
47.55	14.00	13.50	75.0	255.0	2.48	2.44	ADP. i.O.	80.0	35.0	95.0	80.0	
48.80	14.00	13.50	75.0	85.0	2.46	2.38	ADP. i.O.	80.0	35.0	95.0	80.0	
49.93	14.00	13.50	75.0	85.0	2.42	2.34	ADP. i.O.	80.0	35.0	96.0	80.0	
50.95	14.00	13.50	76.0	85.0	2.42	2.48	ADP. i.O.	80.0	35.0	95.0	80.0	
52.32	14.00	13.50	76.0	85.0	2.34	2.58	ADP. i.O.	80.0	35.0	96.0	80.0	
53.67	14.00	13.50	75.0	85.0	2.36	2.50	ADP. i.O.	80.0	35.0	95.0	80.0	
55.04	14.00	13.50	74.0	85.0	2.29	2.54	ADP. i.O.	80.0	35.0	95.0	80.0	
56.21	13.80	13.40	73.0	255.0	2.32	2.40	ADP. i.O.	80.0	35.0	96.0	80.0	
57.56	14.00	13.60	71.0	255.0	2.32	2.48	ADP. i.O.	80.0	35.0	96.0	80.0	
58.93	14.00	13.50	70.0	255.0	2.30	2.34	ADP. i.O.	80.0	35.0	96.0	80.0	
60.28	14.00	13.50	65.0	255.0	2.30	2.36	ADP. i.O.	80.0	35.0	96.0	80.0	
61.57	14.00	13.50	61.0	255.0	2.30	2.30	ADP. i.O.	80.0	35.0	95.0	80.0	
62.61	14.00	13.50	54.0	255.0	2.21	2.36	ADP. i.O.	80.0	35.0	95.0	80.0	
63.92	14.00	13.50	47.0	255.0	2.21	2.38	ADP. i.O.	80.0	35.0	95.0	80.0	
65.29	13.90	13.40	38.0	255.0	2.15	2.25	ADP. i.O.	80.0	35.0	95.0	80.0	
66.61	13.90	13.40	25.0	255.0	2.17	2.30	ADP. i.O.	80.0	35.0	95.0	80.0	
67.76	14.00	13.50	18.0	255.0	2.03	2.50	ADP. i.O.	80.0	35.0	96.0	80.0	
68.81	14.00	13.50	18.0	255.0	2.56	2.40	ADP. i.O.	80.0	35.0	96.0	80.0	
70.10	14.00	13.50	19.0	255.0	2.36	2.11	ADP. i.O.	80.0	35.0	96.0	80.0	
71.45	13.90	13.40	18.0	255.0	2.38	2.27	ADP. i.O.	80.0	35.0	96.0	80.0	
72.82	14.00	13.60	17.0	255.0	2.36	2.64	ADP. i.O.	80.0	35.0	96.0	80.0	
73.96	14.00	13.50	17.0	255.0	2.29	2.62	ADP. i.O.	80.0	35.0	97.0	80.0	
75.14	14.00	13.60	20.0	255.0	2.40	2.85	ADP. i.O.	80.0	35.0	97.0	80.0	
76.50	14.00	13.50	29.0	255.0	2.46	2.79	ADP. i.O.	80.0	35.0	96.0	80.0	
77.87	14.00	13.50	36.0	255.0	2.48	2.64	ADP. i.O.	80.0	35.0	97.0	80.0	

	Spannung	Spannung	Geschwin-	Zustand	Geber G78	Geber G79	Status	Steuerspg	Lampen-	Lampen-	Steuerspg.	
Zeit	Kl. 15	Kl. 56b	digkeit	des Fzg	vorn	hinten	Grundeinst.	Stellmotor	leistung	spannung	Stellmotor Slave	
79.22	13.90	13.50	37.0	255.0	2.44	2.44	ADP. i.O.	80.0	35.0	96.0	80.0	
80.46	13.70	13.30	36.0	85.0	2.42	2.42	ADP. i.O.	80.0	35.0	96.0	80.0	
81.81	13.90	13.40	35.0	255.0	2.42	2.44	ADP. i.O.	80.0	35.0	96.0	80.0	
83.18	14.00	13.50	30.0	255.0	2.34	2.40	ADP. i.O.	80.0	35.0	95.0	80.0	
84.54	13.90	13.40	23.0	255.0	2.34	2.21	ADP. i.O.	80.0	35.0	95.0	80.0	
85.76	13.90	13.40	17.0	85.0	2.27	2.56	ADP. i.O.	80.0	35.0	96.0	80.0	
86.84	13.90	13.40	11.0	85.0	2.27	2.44	ADP. i.O.	80.0	35.0	96.0	80.0	
88.19	13.80	13.30	0.0	85.0	2.27	2.32	ADP. i.O.	80.0	35.0	96.0	80.0	
89.55	14.00	13.50	0.0	85.0	2.25	2.36	ADP. i.O.	80.0	35.0	96.0	80.0	
90.89	13.90	13.40	5.0	85.0	2.25	2.34	ADP. i.O.	80.0	35.0	96.0	80.0	
92.13	13.90	13.40	7.0	85.0	2.25	2.25	ADP. i.O.	80.0	35.0	95.0	80.0	
93.36	13.90	13.40	6.0	85.0	2.40	2.71	ADP. i.O.	80.0	35.0	96.0	80.0	
94.72	13.90	13.40	0.0	85.0	2.30	2.25	ADP. i.O.	80.0	35.0	97.0	80.0	
96.08	14.00	13.50	0.0	85.0	2.32	2.34	ADP. i.O.	80.0	35.0	95.0	80.0	
97.39	13.90	13.40	7.0	85.0	2.30	2.42	ADP. i.O.	80.0	35.0	96.0	80.0	
98.59	13.90	13.50	0.0	85.0	2.36	2.44	ADP. i.O.	80.0	35.0	97.0	80.0	
99.85	14.00	13.50	0.0	85.0	2.36	2.38	ADP. i.O.	80.0	35.0	96.0	80.0	